

SAFETY DATA SHEET NO.50 FALLOUT REMOVER

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name NO.50 FALLOUT REMOVER

Product number 50005, 50025, 50005NL/F, 50025SCAN, 50200SP

Internal identification 50/C1/221009

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Acid based preparation for the removal of contaminants from vehicle paintwork.

1.3. Details of the supplier of the safety data sheet

Supplier Autoglym

Works Road Letchworth Herts SG6 1LU UK

sds@autoglym.com

1.4. Emergency telephone number

Emergency telephone +44 (0) 1462 489498 (24Hrs)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards Met. Corr. 1 - H290

Health hazards Not Classified

Environmental hazards Not Classified

2.2. Label elements

Pictogram



Signal word Warning

Hazard statements H290 May be corrosive to metals.

Precautionary statements P234 Keep only in original container.

P390 Absorb spillage to prevent material damage.

Detergent labelling < 5% non-ionic surfactants

2.3. Other hazards

SECTION 3: Composition/information on ingredients

NO.50 FALLOUT REMOVER

3.2. Mixtures

Oxalic Acid 1-5%

CAS number: 144-62-7 EC number: 205-634-3 REACH registration number: 01-

2119534576-33-0000

Classification

Acute Tox. 4 - H302 Acute Tox. 4 - H312

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation Move affected person to fresh air and keep warm and at rest in a position comfortable for

breathing.

Ingestion IF SWALLOWED: Do not induce vomiting. Rinse mouth thoroughly with water. Give plenty of

water to drink. Get medical attention.

Skin contact After contact with skin, take off immediately all contaminated clothing, and wash immediately

with plenty of water. Get medical attention if irritation persists after washing.

Eye contact Rinse immediately with plenty of water. Remove contact lenses, if present and easy to do.

Continue rinsing. Continue to rinse for at least 15 minutes and get medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation Corrosive to the respiratory tract. May cause coughing and difficulties in breathing.

Congestion of the lungs may occur, producing severe shortness of breath. Coughing, chest

tightness, feeling of chest pressure.

Ingestion Causes burns. Burning sensation in mouth. Ingestion may cause severe irritation of the

mouth, the oesophagus and the gastrointestinal tract.

Skin contact This product is corrosive. Severe skin irritation.

Eye contact This product is corrosive. May cause chemical eye burns. May cause serious eye damage.

Profuse watering of the eyes.

4.3. Indication of any immediate medical attention and special treatment needed

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media
Use fire-extinguishing media suitable for the surrounding fire.

Unsuitable extinguishing

media

None known.

5.2. Special hazards arising from the substance or mixture

Specific hazards The product is not flammable.

Hazardous combustion

Thermal decomposition or combustion products may include the following substances:

Hydrogen chloride (HCI). Phosgene (COCI2).

5.3. Advice for firefighters

Protective actions during

firefighting

products

No specific firefighting precautions known.

NO.50 FALLOUT REMOVER

Special protective equipment Use protective equipment appropriate for surrounding materials.

for firefighters

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Wear protective clothing as described in Section 8 of this safety data sheet.

6.2. Environmental precautions

Environmental precautions The product is not expected to be hazardous to the environment. The product is

biodegradable but it must not be discharged into drains without permission from the

authorities.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Take care as floors and other surfaces may become slippery. Absorb spillage with sand or

other inert absorbent. Dispose of waste to licensed waste disposal site in accordance with the

requirements of the local Waste Disposal Authority.

6.4. Reference to other sections

Reference to other sections For personal protection, see Section 8.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions Read label before use. For personal protection, see Section 8. Do not breathe mist. Use only

in well-ventilated areas.

Advice on general

Do not eat, drink or smoke when using this product. Provide eyewash station. Wash hands

occupational hygiene thoroughly after handling.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store in a cool and well-ventilated place. Store in a closed container.

Storage class Corrosive storage.

7.3. Specific end use(s)

SECTION 8: Exposure Controls/personal protection

8.1. Control parameters

Occupational exposure limits

Oxalic Acid

Long-term exposure limit (8-hour TWA): WEL 1 mg/m³ Short-term exposure limit (15-minute): WEL 2 mg/m³

WEL = Workplace Exposure Limit

8.2. Exposure controls

Protective equipment





Appropriate engineering

controls

Provide adequate ventilation.

Eye/face protection Wear eye protection.

NO.50 FALLOUT REMOVER

Hand protection For exposure up to 8 hours, wear gloves made of the following material: Nitrile rubber. The

breakthrough time for any glove material may be different for different glove manufacturers.

Other skin and body

protection

Wear protective clothing.

Respiratory protection If ventilation is inadequate, suitable respiratory protection must be worn.

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Appearance Clear liquid.

Colour Colourless.

Odour Acidic.

pH (concentrated solution): 1.82

Initial boiling point and range 100°C @

Flash point Not applicable.

Upper/lower flammability or

explosive limits

Not applicable.

Relative density ~ 1.065

Solubility(ies) Completely soluble in water.

Auto-ignition temperature Not applicable.

9.2. Other information

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity The reactivity data for this product will be typical of those for the following class of materials:

Mineral acids. Oxidising agents.

10.2. Chemical stability

Stability Stable at normal ambient temperatures and when used as recommended.

10.3. Possibility of hazardous reactions

Possibility of hazardous

reactions

products

The following materials may react with the product: Strong alkalis.

10.4. Conditions to avoid

Conditions to avoid Avoid heat.

10.5. Incompatible materials

Materials to avoid Avoid contact with the following materials: Strong alkalis. Strong oxidising agents.

10.6. Hazardous decomposition products

Hazardous decomposition

Thermal decomposition or combustion products may include the following substances:

Hydrogen chloride (HCI). Phosgene (COCI2).

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity - oral

NO.50 FALLOUT REMOVER

ATE oral (mg/kg) 10,330.58

Acute toxicity - dermal

ATE dermal (mg/kg) 22,727.27

Skin corrosion/irritation

Human skin model testBased on available data the classification criteria are not met.

Serious eye damage/irritation

Serious eye damage/irritation Based on available data the classification criteria are not met.

SECTION 12: Ecological Information

12.1. Toxicity

Toxicity The product is not expected to be hazardous to the environment.

12.2. Persistence and degradability

Persistence and degradability The product is readily biodegradable.

Phototransformation Not known.

Stability (hydrolysis) Not known.

Biodegradation Expected to be readily biodegradable.

Biological oxygen demand Not determined.

Chemical oxygen demand Not determined.

12.3. Bioaccumulative potential

12.4. Mobility in soil

12.5. Results of PBT and vPvB assessment

12.6. Other adverse effects

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal methods Dispose of waste product or used containers in accordance with local regulations

SECTION 14: Transport information

14.1. UN number

UN No. (ADR/RID) 1760
UN No. (IMDG) 1760
UN No. (ICAO) 1760
UN No. (ADN) 1760

14.2. UN proper shipping name

Proper shipping name CORROSIVE LIQUID, N.O.S. (Oxalic Acid)

(ADR/RID)

Proper shipping name (IMDG) CORROSIVE LIQUID, N.O.S. (Oxalic Acid)
Proper shipping name (ICAO) CORROSIVE LIQUID, N.O.S. (Oxalic Acid)
Proper shipping name (ADN) CORROSIVE LIQUID, N.O.S. (Oxalic Acid)

14.3. Transport hazard class(es)

NO.50 FALLOUT REMOVER

ADR/RID class 8

ADR/RID classification code C9

ADR/RID label 8

IMDG class 8

ICAO class/division 8

ADN class 8

Transport labels



14.4. Packing group

ADR/RID packing group III
IMDG packing group III
ADN packing group III
ICAO packing group III

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

14.6. Special precautions for user

IMDG Code segregation 1. Acids

group

EmS F-A, S-B

ADR transport category 3

Emergency Action Code 2X

Hazard Identification Number 80

(ADR/RID)

Tunnel restriction code (E)

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78

and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16

December 2008 on classification, labelling and packaging of substances and mixtures (as

amended).

Regulation (EC) No 648/2004 of the European Parliament and of the Council of 31 March

2004 on detergents (as amended).

15.2. Chemical safety assessment

SECTION 16: Other information

NO.50 FALLOUT REMOVER

Revision date 23/04/2015

Revision 5

SDS number 20890

Hazard statements in full H290 May be corrosive to metals.

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

Signature Daniel Higgs

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.